



SOUNDBOX VRS SERIES

Soundbox Comfort

A private office for one person, with a full desk along one wall and glass at the back. It arrives as furniture and runs from one outlet.

A Private Office That Arrives as Furniture.

One person gets a door, a full desk, light, fresh air and power, anywhere on an open floor. Glass in the back wall keeps it bright, and it runs from one standard outlet.

35 dB

less speech outside the closed door

Rated sound reduction

1 person

at a desk the length of one wall

Desk and swivel chair

21 sq ft

of floor, 5 ft 1 in by 4 ft 1 in

1.9 m² of floor

1 outlet

standard 120 V, no electrician

Light, air and power



The Soundbox Comfort (VRS-M).

Booth Facts

Soundbox Comfort · VRS-M

Speech Reduction

35 dB

Rated at 35 dB

Seats	1
Exterior, W × D × H	61 × 48.8 × 82.7 in
Floor Area	20.7 sq ft
Fits Under	8 ft ceiling, 13.3 in to spare
Power	1 standard 120 V outlet
Power Cord	Back wall, low, behind the desk
Air	Continuous, adaptive
Light	Dimmable, warm to cool
Install	One afternoon
Moves	On casters
Warranty	Written terms with your quote
Quote	Itemised, install options

The same label is on every Quiet Cabins spec sheet, so models compare line by line. Every figure is confirmed on your written quote.

WHO NEEDS WHICH PAGE

The Team

In Use	03
Inside the Room	04
Sound	05

Facilities

Drawings	06
Technical Data	07
Building Checklist	09

Finance

Business Case	10
Timeline	11

The Call Stays in the Room.

People use it for the work that should not carry across an office: video calls, telehealth sessions, client calls and long stretches of focused work.



Close the Door, Start the Call

A 44 by 23 in desk runs the length of the left wall, with room for a laptop, a monitor and notes. A swivel chair sits at the desk, and the door shuts on a magnetic acoustic seal.



Video Calls on an Open Floor

On camera with the door shut, a step away from the team outside.



Telehealth and Client Calls

Sessions and confidential calls, with notes at the desk.


Everything in the Room Is Built In.

Light, air, power, the desk and the chair arrive installed. You supply a wall outlet.




Inside, looking at the back wall.

- 1 Light Strip**
Dimmable, and tunable from warm to crisp.
- 2 Glass Back**
The back wall is glass behind the door, so the room stays bright.
- 3 Focus Lamp**
A spot for reading, separate from the main light.
- 4 Acoustic Felt**
Felt walls with an accent band stop voices echoing inside.
- 5 Control Panel**
Light switches, a fan dial, an outlet and two USB-A ports.




Control Panel

Lights, fan speed, power and USB on one plate.



Focus Lamp

Turns to light the desk.



Light Strip

Tunable from 2800 K to 6500 K.




Casters

With levelling feet for uneven floors.


A Normal Voice Stays Inside.

Speech loses 35 dB on its way through the walls and glass. Outside, it arrives quieter than the background hum of a working office.



What 35 dB Less Sounds Like

Every 10 dB sounds about half as loud. Thirty-five less is three and a half halvings: under one-tenth as loud, from a conversation down to below a whisper.



Rated Sound Reduction

This booth is rated at 35 dB of sound reduction. Every 10 dB sounds about half as loud.



What It Is Not

- It is not silent. A raised voice or a laugh can still be heard faintly outside.
- On site, results also depend on the room and its background noise.

DIMENSIONS

Drawn to Scale.

Exterior 61 × 48.8 × 82.7 in (1550 × 1240 × 2100 mm). Floor area 20.7 sq ft (1.9 m²).



PLAN, FRONT AT THE BOTTOM
FURNITURE INDICATIVE

Ceiling

Fits under a standard 8 ft ceiling with 13.3 in to spare. The fans draw air in at the roof, so keep that space open. In a sprinklered building, see page 9.

Power Cord

Leaves the back wall low down, behind the desk. Plan the outlet behind the booth.

In Front

The door is the right-hand pane and hinges on its right edge. Leave about 3 ft clear for it to swing open and to step in.

Placement

Stands against a wall, in a corner or on an open floor. Nothing is fixed to the building.

Getting It In

Arrives in crates as panels and goes together on site. We check doors, elevator and route before you order.

The Full Specification.

Grouped the way a facilities review reads it. Figures marked "about" are rounded, and every figure is confirmed on your written quote.

DIMENSIONS

Exterior, W × D × H	61 × 48.8 × 82.7 in 5 ft 1 in × 4 ft 1 in × 6 ft 11 in · 1550 × 1240 × 2100 mm
Interior, W × D × H	about 56.7 × 44.3 × 77.2 in 1440 × 1125 × 1960 mm
Floor Area	20.7 sq ft 1.9 m ²
Ceiling Height Needed	8 ft Keep the space above the roof open for the fans

WEIGHT AND FLOOR

Weight	about 760 lb 345 kg, as published by Soundbox
Floor Load	about 37 psf Office floors are commonly designed for 50 psf

PEOPLE AND FURNITURE

Seats	1
Furniture	A desk and a swivel chair ST-25 desk 1130 × 580 mm, 750 mm high, the length of the left wall. SY-13 swivel chair 500 × 560 × 780 mm.

SOUND

Sound Reduction	35 dB Rated sound reduction
Testing	Soundbox acoustic test centre Certificate with your approval pack

AIR, LIGHT AND POWER

Ventilation	Continuous, adaptive airflow In at the roof, out low near the floor. Adjusts to presence and temperature.
Lighting	LED strip, dimmable and tunable 2800 K to 6500 K, plus a focus lamp
Occupancy	Light above the door Shows when the room is in use
Supply	One standard 120 V receptacle Cord leaves the back wall behind the desk
Inside	Outlet and 2 USB-A On the control panel above the desk

CONSTRUCTION

Frame	Aluminium Gunmetal grey shell as standard
Walls	40 mm composite panels Carbon plastic composite, felt-lined inside
Glass	Laminated Front, door, and the back wall behind the door. The other walls are solid.
Base	Casters and levelling feet Rolls to a new spot on the same floor

WARRANTY AND MAKER

Warranty	Written terms with your quote
Service	Serviced from Ontario Warranty requests at quietcabins.ca/pages/warranty-request
Maker	Soundbox Acoustics Supplied, delivered and serviced in Canada by Quiet Cabins

Certifications and Testing

Canadian electrical ratings and the certificate pack come with your quote.

GREENGUARD Gold

Low chemical emissions, UL 2818

ANSI/BIFMA Furniture

Furniture safety and durability

ISO 23351-1 Lab tested

Speech privacy tested in a laboratory

CE marking

European safety conformity

FCC EMC

US electronic interference limits

RoHS Compliant

Hazardous substances restricted

CONFIGURED


Specified for Your Floor.

The standard room from both sides, and what is chosen per order. Shell, accent fabric and lighting are confirmed on your quote.




From the Front Right

Gunmetal grey shell, the standard finish.



From the Front Left

Grey felt inside, with a dusty blue accent band.



Accent Fabric

Dusty blue, as shown.

Chosen on Your Quote

Shell

Gunmetal grey as standard. Custom colours on request.

Accent Band

One of three accent fabrics, chosen per order.

Furniture

A desk along the left wall and a swivel chair, included.

Lighting

Tunable strip, plus a focus lamp.

Install

Our installers, or two of your people with the tools in the box.

What Your Building Team Will Ask.

Short answers to the questions a facilities lead, fire engineer or landlord raises, and what we send them.

QUESTION	ANSWER	WE SEND
Ceiling Height	82.7 in tall, so it fits under a standard 8 ft ceiling with 13.3 in to spare. Keep the space above the roof open for air.	Drawings with heights
Sprinklers	At 20.7 sq ft it is under the 24 sq ft size NFPA 13 (2025) lets go without its own head, where your authority has adopted that edition. Your fire engineer decides.	Booth drawings for your fire protection engineer
Fire Alarm	With the door shut, the alarm is quieter inside too. Your alarm designer may add a visual signal.	Sound reduction data for the alarm designer
Power	One standard 120 V receptacle behind the booth, where the cord leaves the back wall behind the desk. No hardwiring, no new circuit in most offices.	Canadian electrical ratings, confirmed in writing with your quote
Floor Loading	About 760 lb over 20.7 sq ft, about 37 psf. Office floors are commonly designed for 50 psf.	Weight and base details for your structural engineer
Getting It In	Arrives in crates as panels. Needs a clear route from the dock or front door to the spot.	Crate sizes and an access check before you order
Permits	Supplied as freestanding furniture, which in most jurisdictions needs no building permit. Booths tied into sprinklers may be reviewed.	Product data and drawings for any review
Landlord	Nothing is fixed to the floor, walls or ceiling, and it leaves with you.	A furniture classification letter for your landlord
Air and Heat	Fans draw room air in at the roof and let it out low near the floor. No duct connection.	Airflow and fan data
Accessibility	The standard booth is not designed for wheelchair access.	Ask us about accessible options
Moving It Later	Rolls on casters to a new spot on the same floor. For another floor or building, it comes apart and goes back together.	Relocation by our team, quoted on request

A planning guide, not code advice. The authority having jurisdiction and your engineers have the final word.

Build a Room, or Bring One In.

How the Soundbox Comfort compares with building a small private office in leased space.

	Build a Private Office	Soundbox Comfort
COST	\$180 to \$350 per sq ft for commercial fit-out. A 60 sq ft office: \$10,800 to \$21,000 before design and furniture.	One written, itemised quote, with delivery and install inside the number.
TIME	Design, permit, trades, then construction. Usually weeks to months.	Installed in an afternoon once it arrives. Delivery date confirmed on your quote.
DISRUPTION	Dust, noise and trades on your floor while people work.	Installed after hours if you prefer. Nothing is drilled into the building.
APPROVALS	Usually a building permit and landlord sign-off.	Supplied as furniture, with a classification letter for your landlord.
SOUND	Depends on the build. Walls that stop at the ceiling tile let speech over the top.	35 dB sound reduction.
WHEN YOU MOVE	Stays with the building.	Comes with you.
ACCOUNTING	A leasehold improvement, written off over the lease.	Furniture and equipment, typically CCA Class 8 in Canada. Confirm with your accountant.

THE CASE IN ONE PARAGRAPH

We need a private room where one person can hold video calls, telehealth sessions and confidential calls, and do focused work. Building one would usually mean a permit, trades on our floor and a room we leave behind when the lease ends. The Soundbox Comfort is rated at 35 dB of sound reduction, runs from one standard outlet, is installed in an afternoon, and moves with us. It is bought as furniture, with delivery, installation and the warranty terms in one written quote.

Written for your approval request. Copy it as is.

Ways to Pay

- ✓ Buy, lease or finance
- ✓ Purchase orders and invoicing welcome
- ✓ Our installers, or self-assembly
- ✓ Per-unit pricing improves with quantity

At four calls a day, the room hosts about 1,000 calls a year. Divide your quote by that number to see the cost of each one.



YOUR PRICE

Your price is on your written quote, itemised, with delivery and installation included.


What Happens Next.

Six steps from this sheet to your first call in the room, and who handles each one.

● Quiet Cabins ○ You



01 Tape out the spot and check the route in.



02 The panels go together on site.



03 One standard outlet powers it.



04 Ready for the first call.

How It Goes In

Each step, from an empty spot to the first call. The assembly photo shows the larger Soundbox Collaborative.

INSTALL

One afternoon, by our installers

TOOLS

In the box, if your team assembles it

POWER

One standard 120 V outlet

LATER

Rolls on casters to a new spot



Our showroom at 410 Adelaide St W, Toronto.

Questions From Your Team? Ask Us Directly.

Send us anything facilities, finance or your landlord asks, and we answer them directly. Or visit our Toronto showroom before you sign.

SHOWROOM

410 Adelaide St W, Suite 220, Toronto, ON M5V 1S8

PHONE

647-323-4006

EMAIL

info@quietcabins.ca

WEB

quietcabins.ca



See It Online

quietcabins.ca/products/vrs-m

QUIET CABINS BOOTHS AT WORK FOR



Canadian Mental
Health Association
Durham
Mental health for all



OneSchool
Global

Voyago



ADELAIDE
HOUSE
COWORKING



hubTGI

Quiet Cabins

Canadian owned and operated. Stocked, delivered, installed and serviced from Ontario.
Specifications current as of October 2026. Every figure is confirmed on your written quote.