

SOUNDBOX VRS SERIES

# Soundbox Single Comfort

A private room for one person, with a lounge seat, a wall desk and a glass back wall. It arrives as furniture and runs from one outlet.

# A Private Room for One, With a Lounge Seat and a Desk.

One person gets a room with a door, a lounge seat, a wall desk, light, fresh air and power, anywhere on an open floor. A glass back wall keeps it bright, and it runs from one standard outlet.

35 dB

less speech outside the closed door

Rated sound reduction

1 person

in a lounge seat at a wall desk

Seat and desk included

12.3 sq ft

of floor, 3 ft 7 in by 3 ft 5 in

1.1 m<sup>2</sup> of floor

1 outlet

standard 120 V, no electrician

Light, air and power



The Soundbox Single Comfort (VRS-SM).

## Booth Facts

Soundbox Single Comfort · VRS-SM

Speech Reduction

35 dB

Rated at 35 dB

|                     |                                |
|---------------------|--------------------------------|
| Seats               | 1                              |
| Exterior, W × D × H | 43.3 × 40.9 × 82.7 in          |
| Floor Area          | 12.3 sq ft                     |
| Fits Under          | 8 ft ceiling, 13 in to spare   |
| Power               | 1 standard 120 V outlet        |
| Power Cord          | Right side, low, near the back |
| Air                 | Continuous, adaptive           |
| Light               | Dimmable strip, reading spot   |
| Install             | One afternoon                  |
| Moves               | On casters                     |
| Warranty            | Written terms with your quote  |
| Quote               | Itemised, install options      |

The same label is on every Quiet Cabins spec sheet, so models compare line by line. Every figure is confirmed on your written quote.

### WHO NEEDS WHICH PAGE

#### The Team

|                 |    |
|-----------------|----|
| In Use          | 03 |
| Inside the Room | 04 |
| Sound           | 05 |

#### Facilities


|                    |    |
|--------------------|----|
| Drawings           | 06 |
| Technical Data     | 07 |
| Building Checklist | 09 |

#### Finance

|               |    |
|---------------|----|
| Business Case | 10 |
| Timeline      | 11 |

# Room for the Long Calls.

For one-person work that runs past a quick call: video calls, telehealth, interviews, and reading or writing that needs quiet.



**A Lounge Seat Facing a Wall Desk**

The seat faces a 36 by 15 in wall desk, with a reading spot, an outlet and two USB-A ports above it.



**Telehealth Between Patients**

A clinician on a call through an earbud, with notes on the desk.



**Focused Work in a Library**

A laptop on the desk and the door closed, a few steps from the stacks.


# Everything in the Room Is Built In.

Light, air, power, the seat and the desk arrive installed. You supply a wall outlet.



At the desk, seen from the front right.

- 1 Occupancy Light**  
Shows the room is in use.
- 2 Light Strip**  
Dimmable, warm to crisp.
- 3 Reading Spot**  
Lights the desk.
- 4 Glass Door**  
Flat pull, magnetic acoustic seal.
- 5 Control Panel**  
Light switches, a fan dial, an outlet and 2 USB-A.
- 6 Wall Desk**  
36 × 15 in, top at 29.5 in.
- 7 Lounge Seat**  
Padded, along the left wall.
- 8 Power Inlet**  
Low on the right side, near the back.




## Control Panel

Lights, fan speed, power and USB on one plate.



## Flat Pull

On the full-height glass door.



## Reading Spot

Above the desk, separate from the ceiling strip.




## Casters

With levelling feet for uneven floors.


# A Normal Voice Stays Inside.

Speech loses 35 dB on its way through the walls and glass. Outside, it arrives quieter than the background hum of a working office.



## What 35 dB Less Sounds Like

Every 10 dB sounds about half as loud. Thirty-five less is three and a half halvings: under one-tenth as loud, from a conversation down to below a whisper.



## Rated Sound Reduction

This booth is rated at 35 dB of sound reduction. Every 10 dB sounds about half as loud.



## What It Is Not

- It is not silent. A raised voice or a laugh can still be heard faintly outside.
- On site, results also depend on the room and its background noise.

## DIMENSIONS

# Drawn to Scale.

Exterior 43.3 × 40.9 × 82.7 in (1100 × 1040 × 2100 mm). Floor area 12.3 sq ft (1.1 m<sup>2</sup>).



PLAN, FRONT AT THE BOTTOM  
FURNITURE INDICATIVE

### Ceiling

Fits under a standard 8 ft ceiling with 13 in to spare. The fan draws air in at the roof, so keep that space open. In a sprinklered building, see page 9.

### Power Cord

Leaves the right side wall (as you face the door), low down near the back corner. Plan the outlet on that side or behind the booth.

### In Front

The door is nearly the full width of the front. Leave about 3 ft 6 in clear for it to open and for stepping in.

### Placement

Stands against a wall, in a corner or on an open floor. Nothing is fixed to the building.

### Getting It In

Arrives in crates as panels and goes together on site. We check doors, elevator and route before you order.

# The Full Specification.

Grouped the way a facilities review reads it. Figures marked "about" are rounded, and every figure is confirmed on your written quote.

## DIMENSIONS

|                       |                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------|
| Exterior, W × D × H   | <b>43.3 × 40.9 × 82.7 in</b><br>3 ft 7 in × 3 ft 5 in × 6 ft 11 in · 1100 × 1040 × 2100 mm |
| Interior, W × D × H   | <b>about 39 × 37 × 77 in</b><br>990 × 940 × 1955 mm                                        |
| Floor Area            | <b>12.3 sq ft</b><br>1.1 m <sup>2</sup>                                                    |
| Ceiling Height Needed | <b>8 ft</b><br>Keep the space above the roof open for the fan                              |

## WEIGHT AND FLOOR

|            |                                                                       |
|------------|-----------------------------------------------------------------------|
| Weight     | <b>about 540 lb</b><br>245 kg, as published by Soundbox               |
| Floor Load | <b>about 44 psf</b><br>Office floors are commonly designed for 50 psf |

## PEOPLE AND FURNITURE

|           |                                                                                                                           |
|-----------|---------------------------------------------------------------------------------------------------------------------------|
| Seats     | <b>1</b>                                                                                                                  |
| Furniture | <b>Lounge seat and a wall desk</b><br>Seat 880 × 550 mm on the left wall. Desk 920 × 380 mm, top at 750 mm, on the right. |

## SOUND

|                 |                                                                             |
|-----------------|-----------------------------------------------------------------------------|
| Sound Reduction | <b>35 dB</b><br>Rated sound reduction                                       |
| Testing         | <b>Soundbox acoustic test centre</b><br>Certificate with your approval pack |

## AIR, LIGHT AND POWER

|             |                                                                                                                     |
|-------------|---------------------------------------------------------------------------------------------------------------------|
| Ventilation | <b>Continuous, adaptive airflow</b><br>In at the roof, out low near the floor. Adjusts to presence and temperature. |
| Lighting    | <b>LED strip and a reading spot</b><br>Strip dimmable and tunable, 2800 K to 6500 K                                 |
| Occupancy   | <b>Light above the door</b><br>Shows when the room is in use                                                        |
| Supply      | <b>One standard 120 V receptacle</b><br>Cord exits the right side, low, at the back                                 |
| Inside      | <b>Outlet and 2 USB-A</b><br>Above the desk, with switches and a fan dial                                           |

## CONSTRUCTION

|       |                                                                              |
|-------|------------------------------------------------------------------------------|
| Frame | <b>Aluminium</b><br>Gunmetal grey shell as standard                          |
| Walls | <b>40 mm composite panels</b><br>Carbon plastic composite, felt-lined inside |
| Glass | <b>Laminated</b><br>Door and back panel; the sides are solid                 |
| Base  | <b>Casters and levelling feet</b><br>Rolls to a new spot on the same floor   |

## WARRANTY AND MAKER

|          |                                                                                                                                                        |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Warranty | <b>Written terms with your quote</b>                                                                                                                   |
| Service  | <b>Serviced from Ontario</b><br>Warranty requests at <a href="https://quietcabins.ca/pages/warranty-request">quietcabins.ca/pages/warranty-request</a> |
| Maker    | <b>Soundbox Acoustics</b><br>Supplied, delivered and serviced in Canada by Quiet Cabins                                                                |

## Certifications and Testing

Canadian electrical ratings and the certificate pack come with your quote.

### GREENGUARD Gold

Low chemical emissions, UL 2818

### ANSI/BIFMA Furniture

Furniture safety and durability

### ISO 23351-1 Lab tested

Speech privacy tested in a laboratory

### CE marking

European safety conformity

### FCC EMC

US electronic interference limits

### RoHS Compliant

Hazardous substances restricted

CONFIGURED

# Specified for Your Floor.

The same room in three kinds of workplace. Shell, accent fabric and lighting are chosen per order and confirmed on your quote.



## Hospital Corridor

Calls with patients and families, a few steps from the ward.



## Open-plan Office

A video call at the desk while a colleague waits outside.



## Physiotherapy Clinic

Plugged in beside the treatment floor, for calls between appointments.

## Chosen on Your Quote

### Shell

Gunmetal grey as standard. Custom colours on request.

### Accent Fabric

One of three accent fabrics, chosen per order.

### Furniture

Lounge seat and wall desk, included.

### Lighting

Tunable strip, plus a reading spot.

### Install

Our installers, or two of your people with the tools in the box.

# What Your Building Team Will Ask.

Short answers to the questions a facilities lead, fire engineer or landlord raises, and what we send them.

| QUESTION               | ANSWER                                                                                                                                                                                                                      | WE SEND                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>Ceiling Height</b>  | 82.7 in tall to the top of the roof fan, so it fits under a standard 8 ft ceiling with 13.3 in to spare. Keep that space open for air.                                                                                      | Drawings with heights                                             |
| <b>Sprinklers</b>      | At 12.3 sq ft it is under the 24 sq ft size NFPA 13 (2025) lets go without its own head, where your authority has adopted that edition. Your fire engineer decides. If a head is required, the roof has an opening for one. | Booth drawings for your fire protection engineer                  |
| <b>Fire Alarm</b>      | With the door shut, the alarm is quieter inside too. Your alarm designer may add a visual signal.                                                                                                                           | Sound reduction data for the alarm designer                       |
| <b>Power</b>           | One standard 120 V receptacle by the booth's right side, near the back. No hardwiring, no new circuit in most offices.                                                                                                      | Canadian electrical ratings, confirmed in writing with your quote |
| <b>Floor Loading</b>   | About 540 lb over 12.3 sq ft, about 44 psf. Office floors are commonly designed for 50 psf; loads under the casters are higher.                                                                                             | Weight and base details for your structural engineer              |
| <b>Getting It In</b>   | Arrives in crates as panels. Needs a clear route from the dock or front door to the spot.                                                                                                                                   | Crate sizes and an access check before you order                  |
| <b>Permits</b>         | Supplied as freestanding furniture, which in most jurisdictions needs no building permit. Booths tied into sprinklers may be reviewed.                                                                                      | Product data and drawings for any review                          |
| <b>Landlord</b>        | Nothing is fixed to the floor, walls or ceiling, and it leaves with you.                                                                                                                                                    | A furniture classification letter for your landlord               |
| <b>Air and Heat</b>    | A fan in the roof draws room air in and lets it out low near the floor. No duct connection.                                                                                                                                 | Airflow and fan data                                              |
| <b>Accessibility</b>   | The standard booth is not designed for wheelchair access.                                                                                                                                                                   | Ask us about accessible options                                   |
| <b>Moving It Later</b> | Rolls on casters to a new spot on the same floor. For another floor or building, it comes apart and goes back together.                                                                                                     | Relocation by our team, quoted on request                         |

A planning guide, not code advice. The authority having jurisdiction and your engineers have the final word.

# Build a Room, or Bring One In.

How the Soundbox Single Comfort compares with building a small private office in leased space.

|               | Build a Small Office                                                                                                 | Soundbox Single Comfort                                                                 |
|---------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| COST          | \$180 to \$350 per sq ft for commercial fit-out. A 45 sq ft office: \$8,100 to \$15,750 before design and furniture. | One written, itemised quote, with delivery and install inside the number.               |
| TIME          | Design, permit, trades, then construction. Usually weeks to months.                                                  | Installed in an afternoon once it arrives. Delivery date confirmed on your quote.       |
| DISRUPTION    | Dust, noise and trades on your floor while people work.                                                              | Installed after hours if you prefer. Nothing is drilled into the building.              |
| APPROVALS     | Usually a building permit and landlord sign-off.                                                                     | Supplied as furniture, with a classification letter for your landlord.                  |
| SOUND         | Depends on the build. Walls that stop at the ceiling tile let speech over the top.                                   | 35 dB sound reduction.                                                                  |
| WHEN YOU MOVE | Stays with the building.                                                                                             | Comes with you.                                                                         |
| ACCOUNTING    | A leasehold improvement, written off over the lease.                                                                 | Furniture and equipment, typically CCA Class 8 in Canada. Confirm with your accountant. |

THE CASE IN ONE PARAGRAPH

We need a private room where one person can take confidential calls and long video meetings. Building one would usually mean a permit, trades on our floor and a room we leave behind when the lease ends. The Soundbox Single Comfort is rated at 35 dB of sound reduction, runs from one standard outlet, is installed in an afternoon, and moves with us. It is bought as furniture, with delivery, installation and the warranty terms in one written quote.

Written for your approval request. Copy it as is.

Ways to Pay

- ✓ Buy, lease or finance
- ✓ Purchase orders and invoicing welcome
- ✓ Our installers, or self-assembly
- ✓ Per-unit pricing improves with quantity

At four calls a day, the room hosts about 1,000 calls a year. Divide your quote by that number to see the cost of each one.

YOUR PRICE

Your price is on your written quote, itemised, with delivery and installation included.

# What Happens Next.

Six steps from this sheet to the first call in the room, and who handles each one.

● Quiet Cabins ○ You

TODAY

DIRECT LINE

YOUR PACE

DATE ON YOUR QUOTE

ONE AFTERNOON

NEXT MORNING

1

**Share**

Forward it to whoever signs off.

2

**Answer**

We answer your team's questions directly.

3

**Deposit**

Pay the deposit to confirm your order.

4

**Shipping**

Your booth ships on the dispatch date in your quote.

5


**Delivery and Install**

It arrives, and we handle the install.


6

**First Call**

Plug in, close the door, start.



01 Tape out the spot and check the route in.



02 The panels go together on site.



03 One standard outlet powers it.



04 Ready for the first call.

## How It Goes In

Each step, from an empty spot to the first call. Step 2 shows the larger Soundbox Collaborative.

## INSTALL

One afternoon, by our installers

## TOOLS

In the box, if your team assembles it

## POWER

One standard 120 V outlet

## LATER

Rolls on casters to a new spot



Our showroom at 410 Adelaide St W, Toronto.

# Questions From Your Team? Ask Us Directly.

Send us anything facilities, finance or your landlord asks, and we answer them directly. Or visit our Toronto showroom before you sign.

## SHOWROOM

410 Adelaide St W, Suite 220, Toronto, ON M5V 1S8

## PHONE

647-323-4006

## EMAIL

info@quietcabins.ca

## WEB


quietcabins.ca



## See It Online

[quietcabins.ca/products/vrs-sm](https://quietcabins.ca/products/vrs-sm)

## QUIET CABINS BOOTHS AT WORK FOR



**Quiet Cabins**

Canadian owned and operated. Stocked, delivered, installed and serviced from Ontario. Specifications current as of October 2026. Every figure is confirmed on your written quote.