

WORK BOOTH SERIES

Collaborative Work Booth

A private meeting room for four to six people. It arrives as furniture and runs from one outlet.

A Meeting Room That Arrives as Furniture.

Four to six people get a room with a door, light, fresh air and power, anywhere on an open floor. It runs from one standard outlet, is installed in an afternoon, and moves with you when the floor plan changes.

30_{dB}

less speech outside the closed door

ISO 23351-1 Class A

4 to 6

people around one table

Two facing benches

44_{sq ft}

of floor, 7 ft 7 in by 5 ft 10 in

4.1 m² of floor

1_{outlet}

standard 120 V, no electrician

Light, air and power



Installed in a corporate office. The green corner light means the room is free.

Booth Facts

Collaborative Work Booth · Work Booth series

Speech Reduction

30_{dB}

D C B A A+

ISO 23351-1 Class A · tested by SGS

Seats	4, up to 6
Exterior, W × D × H	90.6 × 70.3 × 94 in
Floor Area	44.2 sq ft
Fits Under	8 ft ceiling, 2 in to spare
Power	1 standard 120 V outlet
Power Cord	Left side, at the back
Air	2 fans, fresh air while on
Light	Dimmable LED
Install	One afternoon
Moves	On casters
Warranty	4 years, structure
Quote	Itemised, install included

The same label is on every Quiet Cabins spec sheet, so models compare line by line. Every figure is confirmed on your written quote.

WHO NEEDS WHICH PAGE

The Team

In Use	03
Inside the Room	04
Sound	05

Facilities


Drawings	06
Technical Data	07
Building Checklist	09

Finance

Business Case	10
Timeline	11

The Conversation Stays in the Room.

Teams use it for the talks that should not carry across an office: case reviews, client calls, interviews and planning sessions.



Meetings Without the Boardroom

Stand-ups, one-on-ones and project huddles move out of the boardroom, and the big room goes back to the meetings that need it. Four sit around the table with laptops open; six fit for a short huddle.



Confidential Conversations

Case reviews, HR conversations and client disclosures, with the door shut while the floor keeps working.

CMHA DURHAM, OSHAWA. TWO COLLABORATIVE WORK BOOTHS.



Study Groups, Tutoring, Interviews

A quiet room for small groups on a busy campus, with no construction and no disruption to classes.

ONESCHOOL GLOBAL, ONTARIO CAMPUS.


Everything in the Room Is Built In.

Light, air, power and seating arrive installed. You supply a wall outlet and the people.



Voyago, in a custom red frame. The standard frame is black.

- 1 Air**
Two fans move fresh air through the room whenever it is on.
- 2 LED Light Strips**
Dimmable OSRAM LEDs run front to back.
- 3 Acoustic Felt**
Felt lining stops voices echoing inside.
- 4 Dial and Power**
One dial for fan and light. Outlets, USB-A and USB-C beside it.
- 5 Glass Door**
Full-height tempered glass with a lever handle.
- 6 Pedestal Table**
One central post, so knees and bags stay clear.
- 7 Facing Benches**
Four seated comfortably, up to six.



Control Dial

Fan speed and light from one dial.



Power

Two outlets plus USB inside the room.



Corner Light

Turns red when the room is in use.




Lever Handle

On a full-height glass door.

Hardware is shared across the Work Booth series. Some details were photographed in other models.


A Normal Voice Stays Inside.

Speech loses 30 dB on its way through the walls and glass. Outside, it arrives quieter than the background hum of a working office.




What 30 dB Less Sounds Like

Every 10 dB sounds about half as loud. Thirty less is three halvings: roughly one-eighth as loud, the gap between a conversation and a whisper.



Where It Sits on the Standard

ISO 23351-1 measures, in a lab, how much a booth lowers the level of speech. It grades booths from D to A+.



This booth: 30 dB, Class A. Class A covers 30 to 33 dB.



What It Is Not

- It is not silent. A raised voice or a laugh can still be heard faintly outside.
- Lab figures are measured under ISO 23351-1. On site, results also depend on the room and its background noise.

DIMENSIONS

Drawn to Scale.

Exterior 90.6 × 70.3 × 94 in (2300 × 1790 × 2390 mm). Floor area 44.2 sq ft (4.1 m²).



Hatched: keep about 3 ft clear for the door and the way in

PLAN, FRONT AT THE BOTTOM
FURNITURE INDICATIVE

Ceiling

Fits under a standard 8 ft ceiling with 2 in to spare. In a sprinklered building, see the checklist on page 9.

Power Cord

Leaves the left side wall, low and near the back corner, as you face the door. Plan the outlet on that side.

In Front

Leave about 3 ft clear for the door to swing open and for people to step in.

Placement

Glass front and back, solid sides. Stands against a wall, in a corner or in open floor. Nothing is fixed to the building.

Getting It In

Arrives as flat panels. We check doors, elevator and route before you order.

The Full Specification.

Grouped the way a facilities review reads it. Figures marked "about" are rounded, and every figure is confirmed on your written quote.

DIMENSIONS

Exterior, W × D × H	90.6 × 70.3 × 94 in 7 ft 7 in × 5 ft 10 in × 7 ft 10 in · 2300 × 1790 × 2390 mm
Interior, W × D × H	about 87.6 × 67.3 × 83 in
Floor Area	44.2 sq ft 4.1 m ²
Ceiling Height Needed	8 ft minimum More where sprinkler clearance applies

WEIGHT AND FLOOR

Weight	about 1,300 lb about 590 kg
Floor Load	about 29 psf Office floors are commonly designed for 50 psf

PEOPLE AND FURNITURE

Seats	4, up to 6
Furniture	Two facing benches and a pedestal table Sofas, finishes and table top chosen on your quote

SOUND

Speech Level Reduction	30 dB Measured in a laboratory
Standard and Class	ISO 23351-1, Class A Class A covers 30 to 33 dB
Testing	SGS Independent testing company

AIR, LIGHT AND POWER

Ventilation	Dual DC brushless fans Fresh air whenever powered, about 28 dB
Lighting	OSRAM LED strips, dimmable Set from the dial
Occupancy	Corner lights Red when the room is in use
Supply	One standard 120 V, 15 A receptacle Cord leaves the left side, low and near the back
Inside	Two outlets, USB-A, USB-C USB-C PD 20 W

CONSTRUCTION

Frame	6061 aluminium alloy, 3 mm Standard finish black
Walls	1 mm galvanized steel over acoustic insulation Felt-lined inside
Glass	Tempered, 6 mm + 6 mm Front and back. The side walls are solid.
Base	Casters Rolls to a new spot on the same floor

WARRANTY AND ORIGIN

Warranty	4 years on the structure Full terms in writing with your quote
Service	Serviced from Ontario Warranty requests at quietcabins.ca/pages/warranty-request
Origin	Made by our partner factory Canadian owned and operated. Stocked, delivered, installed and serviced from Ontario.

Certifications and Testing



UK electrical safety and EMC, evaluated by SGS



EU electrical safety and EMC, evaluated by SGS



Electrical safety listing by Intertek



Electrical system certified to UL standards

ISO 23351-1
Class A

Speech level reduction, tested by SGS

EN 13501-1
BS 5852

Fire tested to EU and UK flammability standards

ISO 9001
ISO 14001

Factory quality and environmental management

Certificates and file numbers come with your approval pack.

INSTALLED


Already at Work in Offices, Clinics and Schools.

Same room, furnished to suit. Seating, table top and frame colour are chosen on your quote.



Grey Sofas, Wood Table

A corporate office, tucked into a corner.



Benches and Cushions

A brick loft after dark, lit from inside.



White Benches, White Table

OneSchool Global, Ontario campus.



Custom Red Frame

Voyago, in a custom frame colour.

Chosen on Your Quote

Frame

Black as standard. Custom colours on request.

Seating

Facing benches or upholstered sofas.

Table

White or wood finish top on a single pedestal.

Branding

Interior and exterior customisation on request.

What Your Building Team Will Ask.

Short answers to the questions a facilities lead, fire engineer or landlord raises, and what we send them.

QUESTION	ANSWER	WE SEND
Ceiling Height	94 in tall. Fits under a standard 8 ft ceiling with 2 in to spare.	Drawings with heights
Sprinklers	At 44.2 sq ft it is larger than the 24 sq ft that NFPA 13 (2025) lets small enclosures go without their own head. Plan for a head inside, fitted by your sprinkler contractor. Your fire engineer decides.	Booth drawings for your fire protection engineer
Fire Alarm	With the door shut, the alarm is quieter inside too. Your alarm designer may add a visual signal.	Sound reduction data for the alarm designer
Power	One standard 120 V, 15 A receptacle near the back left corner (facing the door), where the cord leaves the booth. No hardwiring, no new circuit in most offices.	Electrical certification documents
Floor Loading	About 1,300 lb over 44.2 sq ft, about 29 psf. Office floors are commonly designed for 50 psf.	Weight and base details for your structural engineer
Getting It In	Arrives as flat panels. Needs a clear route from the dock or front door to the spot.	Crate sizes and an access check before you order
Permits	Supplied as freestanding furniture, which in most jurisdictions needs no building permit. Booths tied into sprinklers may be reviewed.	Product data and drawings for any review
Landlord	Nothing is fixed to the floor, walls or ceiling, and it leaves with you.	A furniture classification letter for your landlord
Air and Heat	Fans draw air from the room and return it. No duct connection.	Airflow and fan data
Accessibility	The standard booth is not designed for wheelchair access.	Ask us about accessible options
Moving It Later	Rolls to a new spot on the same floor. For another floor or building, it comes apart and goes back together.	Relocation by our team, quoted on request

A planning guide, not code advice. The authority having jurisdiction and your engineers have the final word.

Build a Room, or Bring One In.

How the Collaborative Work Booth compares with building a small meeting room in leased space.

	Build a Meeting Room	Collaborative Work Booth
COST	\$180 to \$350 per sq ft for commercial fit-out. A 120 sq ft room: \$21,600 to \$42,000 before design and furniture.	One written, itemised quote, with delivery and install inside the number.
TIME	Design, permit, trades, then construction. Usually weeks to months.	Installed in an afternoon, typically 2 to 3 weeks after approval.
DISRUPTION	Dust, noise and trades on your floor while people work.	Installed after hours if you prefer. Nothing is drilled into the building.
APPROVALS	Usually a building permit and landlord sign-off.	Supplied as furniture, with a classification letter for your landlord.
SOUND	Depends on the build. Walls that stop at the ceiling tile let speech over the top.	30 dB speech reduction, lab tested to ISO 23351-1, Class A.
WHEN YOU MOVE	Stays with the building.	Comes with you.
ACCOUNTING	A leasehold improvement, written off over the lease.	Furniture and equipment, typically CCA Class 8 in Canada. Confirm with your accountant.

THE CASE IN ONE PARAGRAPH

We need a private room where four to six people can hold confidential conversations and small meetings. Building one would usually mean a permit, trades on our floor and a room we leave behind when the lease ends. The Collaborative Work Booth is lab tested to ISO 23351-1 Class A (30 dB speech reduction), runs from one standard outlet, is installed in an afternoon, and moves with us. It is bought as furniture, with delivery, installation and a 4-year structural warranty in one written quote.

Written for your approval request. Copy it as is.

Ways to Pay

- ✓ Buy, lease or finance
- ✓ Purchase orders and invoicing welcome
- ✓ Three tiers: frames only, assembly, or turnkey
- ✓ Per-unit pricing improves with quantity

At four meetings a day, the room hosts about 1,000 meetings a year. Divide your quote by that number to see the cost of each one.

YOUR PRICE

Your price is on your written quote, itemised, with delivery and installation included.

What Happens Next.

Six steps from this sheet to your first meeting in the room, and who handles each one.

● Quiet Cabins ○ You

TODAY

DIRECT LINE

YOUR PACE

2 TO 3 WEEKS

ONE AFTERNOON

NEXT MORNING

1

Share

Forward it to whoever signs off.

2

Answer

We answer your team's questions directly.

3

Deposit

Pay the deposit to confirm your order.

4

Shipping

Your booth ships on the dispatch date in your quote.

5

Delivery and Install

It arrives, and we handle the install.


6

First Meeting


Plug in, close the door, start.



01 Panels arrive flat and wrapped.



02 The frame goes up.



03 Glass and panels go in.



04 Plugged in and in use.

A Real Install, Start to Finish

Voyago, from wrapped panels to the first call. Custom red frame.

“The booth arrived, we plugged it in, and it just worked.”

Campus Administrator, OneSchool Global, Ontario



Our showroom at 410 Adelaide St W, Toronto.

Questions From Your Team? Ask Us Directly.

Send us anything facilities, finance or your landlord asks, and we answer them directly. Or visit our Toronto showroom and step inside a Quiet Cabin before you sign.

SHOWROOM

410 Adelaide St W, Suite 220, Toronto, ON M5V 1S8

EMAIL

info@quietcabins.ca

PHONE

647-323-4006

WEB


quietcabins.ca



See It Online

quietcabins.ca/pages/collaborative-booth

COLLABORATIVE ROOMS AT WORK FOR



Quiet Cabins

Canadian owned and operated. Stocked, delivered, installed and serviced from Ontario. Specifications current as of October 2026. Every figure is confirmed on your written quote.