Quiet Cabins

SPEC SHEET

SOUNDBOX VRS SERIES

Soundbox Double

A private room for two people, or four for a short meeting, with daylight at both ends of the back wall. It arrives as furniture and runs from one outlet.

Edition October 2026 quietcabins.ca

AT A GLANCE

A Meeting Room for Two, With Room for Four.

Two people meet across the table, and four fit for a short huddle. Glass at each end of the back wall keeps it bright, and it runs from one standard outlet.

35 dB
less speech outside the closed door
Rated sound reduction

2 to 4
people across one table
Two facing benches

29 sq ft
of floor, 7 ft 3 in by 4 ft 1 in
2.7 m² of floor

1 outlet
standard 120 V, no electrician
Light, air and power



The Soundbox Double (VRS-ML).

Booth Facts

Soundbox Double · VRS-ML

Speech Reduction

35 dB — Rated at 35 dB

Seats	**2, up to 4**
Exterior, W × D × H	**86.6 × 48.8 × 82.7 in**
Floor Area	**29.3 sq ft**
Fits Under	**8 ft ceiling, 13 in to spare**
Power	**1 standard 120 V outlet**
Power Cord	**Back wall, low and centred**
Air	**Continuous, adaptive**
Light	**Dimmable, warm to cool**
Install	**One afternoon**
Moves	**On casters**
Warranty	**Written terms with your quote**
Quote	**Itemised, install options**

The same label is on every Quiet Cabins spec sheet, so models compare line by line. Every figure is confirmed on your written quote.

WHO NEEDS WHICH PAGE

The Team
- In Use 03
- Inside the Room 04
- Sound 05

Facilities
- Drawings 06
- Technical Data 07
- Building Checklist 09

Finance
- Business Case 10
- Timeline 11

IN USE

The Conversation Stays in the Room.

Teams use it for the talks that should not carry across an office: one-on-ones, interviews, client calls and small huddles.

One-on-ones off the Open Floor

Two people sit across the table with the door shut, while the floor works on outside. Four fit on the two benches for a short huddle.

INSIDE THE ROOM

Everything in the Room Is Built In.

Light, air, power and seating arrive installed. You supply a wall outlet and the people.

Inside, from the open door.

1. **Light Strips** — Dimmable, and tunable from warm to crisp.
2. **Acoustic Felt** — Felt walls with an accent band stop voices echoing inside.
3. **Glass at Both Ends** — Two full-height panes in the back wall bring daylight in.
4. **Control Panel** — Light switches, a fan dial, an outlet and two USB-A ports.
5. **Glass Door** — A flat pull and a magnetic acoustic seal.
6. **Table on One Leg** — Against the back wall, so knees and bags stay clear.
7. **Two Benches** — Facing each other along the side walls.



Control Panel
Lights, fan speed, power and USB on one plate.

Flat Pull
On the full-height glass door.

Light Strip
Tunable from 2800 K to 6500 K.

Casters
With levelling feet for uneven floors.

SOUND

A Normal Voice Stays Inside.

Speech loses 35 dB on its way through the walls and glass. Outside, it arrives quieter than the background hum of a working office.



What 35 dB Less Sounds Like

Every 10 dB sounds about half as loud. Thirty-five less is three and a half halvings: under one-tenth as loud, from a conversation down to below a whisper.



Rated Sound Reduction

This booth is rated at 35 dB of sound reduction. Every 10 dB sounds about half as loud.

What It Is Not

- It is not silent. A raised voice or a laugh can still be heard faintly outside.
- On site, results also depend on the room and its background noise.

DIMENSIONS

Drawn to Scale.

Exterior 86.6 × 48.8 × 82.7 in (2200 × 1240 × 2100 mm). Floor area 29.3 sq ft (2.7 m²).





Hatched: keep about 3 ft clear for the door and the way in

PLAN, FRONT AT THE BOTTOM
FURNITURE INDICATIVE

Ceiling

Fits under a standard 8 ft ceiling with 13 in to spare. The fans draw air in at the roof, so keep that space open. In a sprinklered building, see page 9.

Power Cord

Leaves the middle of the back wall, low down. Plan the outlet behind the booth.

In Front

Leave about 3 ft clear for the door to swing open and for people to step in.

Placement

Stands against a wall, in a corner or on an open floor. Nothing is fixed to the building.

Getting It In

Arrives in crates as panels and goes together on site. We check doors, elevator and route before you order.

TECHNICAL DATA

The Full Specification.

Grouped the way a facilities review reads it. Figures marked “about” are rounded, and every figure is confirmed on your written quote.

DIMENSIONS

Exterior, W × D × H	**86.6 × 48.8 × 82.7 in** 7 ft 3 in × 4 ft 1 in × 6 ft 11 in · 2200 × 1240 × 2100 mm
Interior, W × D × H	**about 82.3 × 44.3 × 77.2 in** 2090 × 1125 × 1960 mm
Floor Area	**29.3 sq ft** 2.7 m²
Ceiling Height Needed	**8 ft** Keep the space above the roof open for the fans

WEIGHT AND FLOOR

Weight	**about 1,010 lb** 458 kg, as published by Soundbox
Floor Load	**about 34 psf** Office floors are commonly designed for 50 psf

PEOPLE AND FURNITURE

Seats	**2, up to 4**
Furniture	**Two benches and a fixed table** Benches 1140 × 630 mm. Table 800 × 600 mm, 700 mm high, on one leg.

SOUND

Sound Reduction	**35 dB** Rated sound reduction
Testing	**Soundbox acoustic test centre** Certificate with your approval pack

AIR, LIGHT AND POWER

Ventilation	**Continuous, adaptive airflow** In at the roof, out low near the floor. Adjusts to presence and temperature.
Lighting	**LED strips, dimmable and tunable** 2800 K to 6500 K, plus a focus downlight
Occupancy	**Light above the door** Shows when the room is in use
Supply	**One standard 120 V receptacle** Cord leaves the back wall, low and centred
Inside	**Outlet and 2 USB-A** On the control panel, with light switches and a fan dial

CONSTRUCTION

Frame	**Aluminium** Gunmetal grey shell as standard
Walls	**40 mm composite panels** Carbon plastic composite, felt-lined inside
Glass	**Laminated** Front and door, plus both ends of the back wall. The side walls are solid.
Base	**Casters and levelling feet** Rolls to a new spot on the same floor

WARRANTY AND MAKER

Warranty	**Written terms with your quote**
Service	**Serviced from Ontario** Warranty requests at quietcabins.ca/pages/warranty-request
Maker	**Soundbox Acoustics** Supplied, delivered and serviced in Canada by Quiet Cabins

Certifications and Testing

Canadian electrical ratings and the certificate pack come with your quote.

GREENGUARD Gold	**ANSI/BIFMA Furniture**	**ISO 23351-1 Lab tested**	**CE marking**	**FCC EMC**	**RoHS Compliant**
Low chemical emissions, UL 2818	Furniture safety and durability	Speech privacy tested in a laboratory	European safety conformity	US electronic interference limits	Hazardous substances restricted

CONFIGURED

Specified for Your Floor.

The same room in three kinds of workplace. Shell, accent fabric and lighting are chosen per order and confirmed on your quote.

Community Clinic

One-to-one conversations with staff, away from the waiting area.

Public Service Office

Phone calls and form reviews, a few steps from the open desks.

University Staff Area

A video call behind a closed door while a student waits outside.

Chosen on Your Quote

Shell

Gunmetal grey as standard. Custom colours on request.

Accent Band

One of three accent fabrics, chosen per order.

Furniture

Two benches and a table, included.

Lighting

Tunable strips, plus a focus downlight.

Install

Our installers, or two of your people with the tools in the box.

FOR FACILITIES

What Your Building Team Will Ask.

Short answers to the questions a facilities lead, fire engineer or landlord raises, and what we send them.

QUESTION	ANSWER	WE SEND
Ceiling Height	82.7 in tall to the top of the roof fans, so it fits under a standard 8 ft ceiling with 13.3 in to spare. Keep that space open for air.	Drawings with heights
Sprinklers	At 29.3 sq ft it is larger than the 24 sq ft that NFPA 13 (2025) lets small enclosures go without their own head. Plan for a head inside, fitted by your sprinkler contractor. Your fire engineer decides.	Booth drawings for your fire protection engineer
Fire Alarm	With the door shut, the alarm is quieter inside too. Your alarm designer may add a visual signal.	Sound reduction data for the alarm designer
Power	One standard 120 V receptacle behind the booth, where the cord leaves the back wall. No hardwiring, no new circuit in most offices.	Canadian electrical ratings, confirmed in writing with your quote
Floor Loading	About 1,010 lb over 29.3 sq ft, about 34 psf. Office floors are commonly designed for 50 psf.	Weight and base details for your structural engineer
Getting It In	Arrives in crates as panels. Needs a clear route from the dock or front door to the spot.	Crate sizes and an access check before you order
Permits	Supplied as freestanding furniture, which in most jurisdictions needs no building permit. Booths tied into sprinklers may be reviewed.	Product data and drawings for any review
Landlord	Nothing is fixed to the floor, walls or ceiling, and it leaves with you.	A furniture classification letter for your landlord
Air and Heat	Fans draw room air in at the roof and let it out low near the floor. No duct connection.	Airflow and fan data
Accessibility	The standard booth is not designed for wheelchair access.	Ask us about accessible options
Moving It Later	Rolls on casters to a new spot on the same floor. For another floor or building, it comes apart and goes back together.	Relocation by our team, quoted on request

A planning guide, not code advice. The authority having jurisdiction and your engineers have the final word.

FOR FINANCE

Build a Room, or Bring One In.

How the Soundbox Double compares with building a small meeting room in leased space.

	Build a Meeting Room	Soundbox Double
COST	$180 to $350 per sq ft for commercial fit-out. An 80 sq ft room: $14,400 to $28,000 before design and furniture.	One written, itemised quote, with delivery and install inside the number.
TIME	Design, permit, trades, then construction. Usually weeks to months.	Installed in an afternoon once it arrives. Delivery date confirmed on your quote.
DISRUPTION	Dust, noise and trades on your floor while people work.	Installed after hours if you prefer. Nothing is drilled into the building.
APPROVALS	Usually a building permit and landlord sign-off.	Supplied as furniture, with a classification letter for your landlord.
SOUND	Depends on the build. Walls that stop at the ceiling tile let speech over the top.	35 dB sound reduction.
WHEN YOU MOVE	Stays with the building.	Comes with you.
ACCOUNTING	A leasehold improvement, written off over the lease.	Furniture and equipment, typically CCA Class 8 in Canada. Confirm with your accountant.

THE CASE IN ONE PARAGRAPH

We need a private room where two to four people can hold confidential conversations, interviews and client calls. Building one would usually mean a permit, trades on our floor and a room we leave behind when the lease ends. The Soundbox Double is rated at 35 dB of sound reduction, runs from one standard outlet, is installed in an afternoon, and moves with us. It is bought as furniture, with delivery, installation and the warranty terms in one written quote.

Written for your approval request. Copy it as is.

Ways to Pay

- ✓ Buy, lease or finance
- ✓ Purchase orders and invoicing welcome
- ✓ Our installers, or self-assembly
- ✓ Per-unit pricing improves with quantity

At four meetings a day, the room hosts about 1,000 meetings a year. Divide your quote by that number to see the cost of each one.

YOUR PRICE

Your price is on your written quote, itemised, with delivery and installation included.

TIMELINE

What Happens Next.

Six steps from this sheet to your first meeting in the room, and who handles each one.

Quiet Cabins You

TODAY	DIRECT LINE	YOUR PACE	DATE ON YOUR QUOTE	ONE AFTERNOON	NEXT MORNING
1	2	3	4	5	6
Share	**Answer**	**Deposit**	**Shipping**	**Delivery and Install**	**First Meeting**
Forward it to whoever signs off.	We answer your team's questions directly.	Pay the deposit to confirm your order.	Your booth ships on the dispatch date in your quote.	It arrives, and we handle the install.	Plug in, close the door, start.



01 Tape out the spot and check the route in.



02 The panels go together on site.

03 One standard outlet powers it.



04 Ready for the first meeting.

How It Goes In

Each step, from an empty spot to the first meeting. Shown on the deeper Soundbox Collaborative, which has the same front.

INSTALL
One afternoon, by our installers

TOOLS
In the box, if your team assembles it

POWER
One standard 120 V outlet

LATER
Rolls on casters to a new spot

Our showroom at 410 Adelaide St W, Toronto.

Questions From Your Team? Ask Us Directly.

Send us anything facilities, finance or your landlord asks, and we answer them directly. Or visit our Toronto showroom before you sign.

SHOWROOM

410 Adelaide St W, Suite 220, Toronto, ON M5V 1S8

PHONE

647-323-4006

EMAIL

info@quietcabins.ca

WEB

quietcabins.ca

See It Online

quietcabins.ca/products/vrs-ml

QUIET CABINS BOOTHS AT WORK FOR

Canadian Mental Health Association Durham *Mental health for all* · OneSchool Global · Voyago · Adelaide House Coworking · hubTGI

Quiet Cabins

Canadian owned and operated. Stocked, delivered, installed and serviced from Ontario. Specifications current as of October 2026. Every figure is confirmed on your written quote.